



PRIZOR VIZTECH LIMITED

PZTFHD-32GTV



32"

## KEY FEATURES

- ◆ PRIZOR GOOGLE SMART TV 32 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: ANDROID 11.0
- ◆ CONNECTIVITY: 2HDMI AND 2 USB PORTS
- ◆ SOUND: 12 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 32 INCH 80 CM
- ◆ ROM-8GB & RAM – 1.5GB
- ◆ 1080P RESOLUTION SUPPORTED

Google TV 7000+ APPS



1800-123-3699  www.prizor.in



**SPECIFICATIONS**

MODEL	PZTFHD-32GTV	
RESOLUTION	HD 1366*768	
OPEN CELL	SHARP..	
BLU POWER	25W	
ANDROID FEATURES		
CHIPSET	REALTECK WITH GOOGLETV 3.0 VER	
SOLUTION (OS)	ANDROID 11.0	
CPU	ARM CORTEX-A55 QUAD-CORE /1.3GHZ	
GPU	G31MP2 MULTI-CORE	
ROM/EMMC	8GB	
RAM/DDR	1.5GB	
LAN	RJ-45	
WI-FI (802.11)	2.4 GHZ & 5.8GHZ	
(SELECTED APP) GOOGLE PLAY STORE SUPPORT FOR TV	YES	
I/O PORTS	QTY	
RF	YES	75 OHMS
AV IN	1	3.5MM JACK
USB	2	V-2.0
HDMI	2	STANDARD
LAN	1	RJ-45
WI-FI	YES	2.4 GHZ & 5.8GHZ
OPTICAL OUT	YES	RCA
EAR PHONE	1	MINI (3.5MM)



**SPECIFICATIONS**

FEATURES			
SCREEN SIZE	31.5" (80CM)		
CONTRAST RATIO	3,00,000:1		
BRIGHTNESS	> 270 NITS		
VIEWING ANGLE	178° H/178° V		
RESPONSE TIME	< 20 MS		
MAIN BOARD	3IN1 BOARD		
SPEAKER	34*94 - 8E/12W BOX SPK		
DOLBY AUDIO	YES		
PRELOAD APPS	YES		
HDR 10 SUPPORT	YES		
SCREEN CAST	YES		
BLUETOOTH	YES		
GOOGLE VOICE ASSISTANCE FUNCTION	YES		
GOOGLE USER LOGIN FOR TV	YES		
OSD LANGUAGE	ENGLISH, HINDI OPTIONAL		
VIDEO INPUT - RF			
COLOR SYSTEM	PAL, SECAM		
VIDEO	1VP-P @75 OHM ±5%		
AUDIO	500MV RMS		
VIDEO INPUT - CVBS			
SYNC	H:30-75KHZ, V:56-75HZ		
VIDEO	0.7VP-P @ 75OHM		
RESOLUTION	UP TO 1920*1080@60HZ		
VIDEO INPUT - HDMI			
VIDEO	STANDARD TDMS FORMAT		
RESOLUTION	480I, 480P, 576I, 576P, 720P, 1080I, 1080P		
USB MULTIMEDIA PLAYBACK FORMAT			
MEDIA	FILE	VIDEO	AUDIO
MOVIE	.AVI	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.264	
	.MP4	MPEG-2, MPEG-4, H.264	
	.TS/.TR	MPEG-2, H.264	
	.MKV/MOV	MPEG-2, H.265	
	.MPG	MPEG-2, H.264	
	.DAT	MPEG-1	MP2
	.VOB	MPEG-2	
.RM/.RMVB	RV8, RV9, RV10	COOK	





**SPECIFICATIONS**

MUSIC	.MP3	-	MP3
	.M4A/.AAC	-	AAC
PHOTO	.JPG/.JPEG	PROGRESSIVE JPEG	MAX RESOLUTION 1024*768
		BASELINE JPEG	MAX RESOLUTION 15360*6400
	.BMP		MAX RESOLUTION 9600*6400
	.PNG	NON-INTERLACED	MAX RESOLUTION 9600*6400
		INTERLACED	MAX RESOLUTION 1200*800
TEXT	.TXT	ANSI/UNICODE GB/UTF8	FILE SIZE : 1MB MAX
<b>INPUT ELECTRICAL SPECIFICATIONS</b>			
VOLTAGE		100~240V AC	
CURRENT		1.8A MAX	
FREQUENCY		50HZ/60HZ $\pm$ 5%	
INRUSH CURRENT (COLD START)		70A TYPE PEAK,230V AC	
EFFICIENCY (FULL LOAD)		80% (FULL LOAD WITH 230VAC)	
LEAKAGE CURRENT		LESS THAN 0.5MA, 230VAC INPUT	
STANDBY POWER LOSS		$\leq$ 0.5W 230VAC INPUT AND NO LOAD	
INPUT FUSE		T3.15AL/250VAC	
<b>OUTPUT ELECTRICAL SPECIFICATIONS</b>			
MAX POWER CONSUMPTION		55W MAX (O/P)	
NET WEIGHT		3.8KGS (APPROX.)	
GROSS WEIGHT		5.75KG (APPROX.)	
NET DIMENSION(MM)		720 X 425 X 90	
GROSS DIMENSION(MM)		795 X 510 X 138	

