



PRIZOR VIZTECH LIMITED



RP-24HDD20-PIR

2.4 MP HD DOME
CAMERA

KEY FEATURES

- ◆ 2.4MP HD PLASTIC DOME CAMERA
- ◆ 1/2.9" SONY SENSOR
- ◆ SUPPORT-AHD/TVI/CVI/960H
- ◆ LOW ILLUMINATION, DWDR, 3DNR
- ◆ 3MP HD LENS WITH IR-CUT
- ◆ IR SMD LED:12PCS
- ◆ IR RANGE: UP TO 20M
- ◆ WATER RESISTANCE:IP65
- ◆ OSD SUPPORTED
- ◆ LENS 3.6 MM

PRIME SERIES

2.4MP

3DNR



OSD



SPECIFICATIONS

MODEL	RP-24HDD20-PIR
IMAGE SENSOR	1/2.9 SONY CMOS SENSOR
MAIN PROCESSOR(DSP)	SONY F39
RESOLUTION	2.4MP@25FPS
EFFECTIVE PIXELS	1920(H)*1080(V)
TV SYSTEM	PAL/NTSC
VIDEO INPUT	AHD/TVI/CVI & CVBS
SYNC SYSTEM	EXTERNAL
USABLE ILLUMINATION	0.1LUX@(F2.1 AGC ON) ; 0LUX WITH IR
S/N RATIO	≥52DB
SCANNING SYSTEM	PROGRESSIVE
VIDEO OUTPUT	NETWORK
LENS	
FOCUS LENGTH	3.6MM
FOCUS CONTROL	FIXED
TYPE	HD IR CORRECTED LENS
PIXEL	2MP
INFRARED LED	12PCS(COLOR-0.1LUXAGC ON & 0LUX IR ON)
INFRARED DISTANCE	UP TO 20M
IR POWER ON	CDS AUTO CONTROL
IR STATUS	UNDER 10 LUX BY CDS
IR LED	18PCS
ICR	SUPPORT ICR EXT/COLOR/BW



SPECIFICATIONS

MODEL	RP-24HDD20-PIR
LANGUAGE	ENGLISH, BULGARIAN, POLISH, FARSI, GERMAN, RUSSIAN, FRENCH, KOREAN, PORTUGUESE, JAPANESE, TURKISH, SPANISH, HEBREW, ITALIAN
HOUSING & DIMENSION	PLASTIC BODY 73MM * 73MM * 107, IP65
OPERATION TEMPERATURE	-20°C ~ +60°C RH95% MAX
STORAGE TEMPERATURE	-20°C ~ +60°C RH95% MAX
POWER SOURCE	DC12V±10%, 1000MA
WEIGHT	250G

