

PZT4KFL-75FAS-WOS



KEY FEATURES

- ◆ PRIZOR 4K SMART TV 75 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: WEBOS
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 75 INCH 191 CM
- ◆ ROM-8 GB & RAM – 1.5GB
- ◆ 4K RESOLUTION SUPPORTED



SPECIFICATION

Model	PZT4KFL-75FAS-WOS	
Screen Size	191 cm	
Resolution	UHD-3840*2160	
Aspect Ratio	16:9	
Contrast Ratio	20,00,000:1	
Open Cell	AUO/BOE/Innolux..	
Android Features		
Chipset	RTD2874SFA-GR	
OS	Web OS 3.0	
Main Board	RT2874.PC821 (T)	
ROM/Flash	8GB	
RAM/DDR 3	1.5GB	
LAN	RJ-45	
Wi-Fi	2.4 GHz & 5 GHz	
Connectivity Features		
	Qty	
AV IN	1	RCA
Optical - out	1	Optical
USB	2	V-2.0
HDMI	3	Standard
EarPhone	Yes	3.5 mm socket
RF IN (Optional)	Yes	75 Ohms
Wi-Fi (Dual band)	Yes	2.4GHz + 5.0GHz
LAN	Yes	RJ-45
FEATURES		
Brightness	> 250 nits	
Viewing Angle	178°(H)/178° (V)	



SPECIFICATION

Model	PZT4KFL-75FAS-WOS
Response Time	8.0 msec
Sound O/p	2x10W(8Ω) THD+N<10% Audio Input: 1KHz @0.5Vrms
Speaker	30*70-8E/10W Box SPK
Preload Apps	Yes
Miracast	Yes
ThinQ AI	Yes
Bluetooth Support	2.1+EDR/4.2/5.
Voice command support (as per webOS)	Yes
Alexa support	Yes
Dolby Audio	Yes
Magic remote	Yes
OSD Language	English
Video Input - TV	
Video System	PAL
Sound System	BG, DK, I
Storage Channel	99
Video Input-CBVS	
Color System	PAL, SECAM
Video	1Vp-p @75 Ohm +5%
Audio	500mV RMS
Video Input - PC-RGB	
Sync	H:30-75KHz, V:56-75Hz
Video	0.7Vp-p @ 75ohm
Resolution	Up to 3840*2160@60Hz



SPECIFICATION

Model	PZT4KFL-75FAS-WOS		
Video Input - HDMI			
Video	Standard TDMS format		
Resolution	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p/i		
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG MPEG-2, MPEG-4, H.265	MP3, AAC, MP2, PCM
	.mp4	MPEG-2, MPEG-4, H.265	
	.ts/.tr	MPEG-2, H.265	
	.mkv/mov	MPEG-2, H.264	
	4K	H.265/HEVC/MPEG-4- FPS-30	
	.mpg	MPEG-2, H.265	
	.dat	MPEG-1	MP2
	.vob	MPEG-2	
	.rm/.rmvb	RV8, RV9, RV10	COOK
Music	.mp3		-
	.m4a/.aac		-
Photo	.jpg/.jpeg		Progressive JPEG
			Baseline JPEG
	.bmp		
	.png		Non-Interlaced



SPECIFICATION

Model	PZT4KFL-75FAS-WOS
Input Electrical Specifications	
Voltage	100-240V AC
Current	2.0A max
Frequency	50Hz/60Hz +5%
Inrush Current (Cold Start)	70A type peak, 230V ac
Efficiency (full load)	80% (full load with 230Vac)
Leakage Current	Less than 0.5mA, 230Vac input
Standby Power Loss	< 1.0W 230Vac input and no load
Input Fuse	T5AH/250Vac
Output Electrical Specifications	
Max Power Consumption	< 230 watt
Net Weight	28.92Kgs (Approx.)
Gross weight	38.50 kg (approx.)
Net Dimension(mm)	(W)1685 x (H)970 x (D)70 + (20 wall mount)
Gross Dimension(mm)	1830 x 1085 x 185

