

PZT4KFL-98FAS-WOS



KEY FEATURES

- ◆ PRIZOR 4K SMART TV 98 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: WEBOS
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 98 INCH 249 CM
- ◆ ROM-8 GB & RAM – 1.5GB
- ◆ 4K RESOLUTION SUPPORTED



SPECIFICATION

Model	PZT4KFL-98FAS-WOS	
Screen Size	249 cm	
Screen Type with resolution	UHD-3840*1920	
Toughened Glass Protection	Yes	
Aspect Ratio	16:9	
Contrast Ratio	20,00,000:1	
Mounting Type	Wall Mount	
Open Cell	LG (LD980DQY-SNA2)	
Viewing Angle	178° (H)/178° (V)	
Response Time	8.0 msec	
Android Features		
Solution	MLOGIC/T972	
Main Board		
CPU	A55/1.9GHz (Quad core)	
CPU FREQ.	1.9GHz	
GPU	Mali-G31 MP2	
GPU FREQ.	800MHz	
ROM	8GB	
RAM	1.5 GB	
LAN	RJ-45	
Wi-Fi	2.4 GHz	
I/O Ports	Qty	
AV IN	2	RCA
Optical - out	1	Optical
USB	2	V-2.0
HDMI	3	Standard
Line out/Ear Phone	1	3.5 mm socket



SPECIFICATION

Model		PZT4KFL-85FAS-WOS
RF IN (Optional)	1	75 ohms
Wi-Fi	Yes	2.4GHz + 5.0GHz
LAN	Yes	RJ-45
Brightness		
		> 400 nits
Viewing Angle		
		178° (H)/178° (V)
Response Time		
		8.0 msec
Sound O/p		
		2*10W, 8 Ohm
Speaker		
		34*94-8E/10W Box SPK
Preload Apps		
		Yes
Screen cast / Eshare		
		Yes
Voice Command Function (Selected)		
		Supported
Bluetooth (1 way)		
		Supported
Cloud TV UI		
		Supported (with movie box 10000+ movies)
OSD Language		
		English
Video Input - CBVS		
Color System		
		PAL, SECAM
Video		
		1Vp-p @75 Ohm +5%
Audio		
		500mV RMS
Video Input - PC-RGB		
Sync		
		H:30-75KHz, V:56-75Hz
Video		
		0.7Vp-p @ 75ohm
Resolution		
		Up to 3840*2160@60Hz
Video Input - HDMI		
Viewing Angle		
		Standard TDMS format
Response Time		
		480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p/i



SPECIFICATION

Model	PZT4KFL-85FAS-WOS
Viewing Angle	178° (H)/178° (V)
Response Time	8.0 msec
Sound O/p	2*10W, 8 Ohm
Speaker	34*94-8E/10W Box SPK
Preload Apps	Yes
Screen cast/ Eshare	Yes
Voice Command Function (Selected)	Supported
Bluetooth (1 way)	Supported
Cloud TV UI	N
OSD Language	English

USB Multimedia Playback Format

Media	File	Video	Audio
Movie	.avi	MJPEG MPEG-2, MPEG-4, H.265	MP3, AAC, MP2, PCM
	.mp4	MPEG-2, MPEG-4, H.265	
	.ts/.tr	MPEG-2, H.265	
	.mkv/mov	MPEG-2, H.264	
	4K	H.265/HEVC/MPEG-4- FPS-30	
	.mpg	MPEG-2, H.265	MP2
	.dat	MPEG-1	
	.vob	MPEG-2	
	.rm/.rmvb	RV8, RV9, RV10	COOK
Music	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resolution 1024*768
		Baseline JPEG	Max Resolution 1920*1080
	.bmp		Max Resolution 15360*8640
	.png	Non-Interlaced	Max Resolution 4000*4000



SPECIFICATION

Model	PZT4KFL-98FAS-WOS
Electrical Specifications	
Voltage	100-240V AC
Current	2.0A max
Frequency	50Hz/60Hz +5%
Inrush Current (Cold Start)	70A type peak, 230V ac
Efficiency (full load)	80% (full load with 230Vac)
Leakage Current	Less than 0.5mA, 230Vac input
Input Fuse	T5A/250Vac
Max Power Consumption	< 440 watt
Stand-by Power Consumption	<1W
Net Weight	82.5Kgs (Approx.)
Gross weight	115.0 kg (approx.)
Net Dimension(mm)	2180 x 1234 x 95
Gross Dimension(mm)	2380 x 1450 x 290

